

A Pocket Guide to Care and Handling of Game Birds from Field to Table

NCR 527, April 1994

Shoot for the Sky

Game birds offer a challenge to hunters and the reward of a delicious meal at the table if they are handled properly at each step. Game birds have various distinctive flavors and are excellent sources of protein, similar in these respects to domestic birds. The fat and calorie contents vary according to the age and species of the birds.

A 3½-ounce portion (before cooking) of game bird meat has about 150 calories and provides half the average daily adult protein requirement.

Wild game birds may become contaminated with bacteria or gastric juices if they are improperly handled. Off-flavors and odors may develop in the meat, and your risk of foodborne illness may increase. For optimum eating quality, remember the following handling tips during hunting, storage and food preparation.

Care in the Field and in Transport

Be prepared for the hunt.

- Remember to bring a sharp hunting knife, a steel or whetstone, light rope or nylon cord, plastic bags, clean cloths or paper towels, and a cooler filled with ice.

Abide by game regulations for hunting, transporting and storage of wild game.

Field dress the bird promptly.

- Remove the entrails and crop as soon as possible, because the grain in the crop may ferment if not removed.
- The heart and liver may be saved for giblets. Store in a plastic bag on ice to keep them clean and cold.
- Leave an identification mark on the bird as required by state game regulations.
- The birds may be plucked or skinned in the field. If you pluck the birds, bring a plastic bag for storing the feathers.

Cool the carcass quickly to retain flavor and maintain the quality of the bird. A temperature above 40 degrees Fahrenheit is meat's worst enemy.

- Wipe out the cavity with a clean cloth or paper towel. Do not use grass or snow as this will contaminate the carcass.
- Allow air to circulate in the carcass by hanging or laying the bird in a well-ventilated place.
- In hot weather, place the birds individually in plastic bags and put on ice.
- Do not pile warm birds in a mass.
- Store the birds in a cooler or ice chest out of the sun.

Keep the birds cool during transport.

- The best way to store birds is in a cooler on ice. If this is not possible, keep the car well-ventilated and put the birds on the back seat or the floor.
- Do not transport them in the trunk because the enclosed space does not allow heat to escape from the birds.

Care in Processing and Storage

Don't cross-contaminate during processing.

- Wash your hands, knife and cutting board with hot soapy water and rinse thoroughly.
- When preparing ducks, remove the wings by cutting them off at the joints, remove the head, and pluck out the pin feathers. Feathers may be removed by scalding the birds in hot water (145 F). Pin feathers and down may be removed by dipping the feathered bird in a paraffin wax/hot water mixture. After the wax hardens, the feathers may be scraped off.
- When preparing upland birds, such as grouse, pheasant, quail and partridge, skin or pluck the bird and soak in cold water for one to two hours to remove excess blood.

Birds generally do not require aging.

- If you wish to age birds, holding them at just above freezing temperatures for two to three days may increase the tenderness of the meat.

For immediate use, birds should be stored in the refrigerator at 45 F or less and used within three days. For long-term storage, the whole cleaned carcass or individual parts may be frozen at 0 F or lower.

- Freeze meat while it is fresh and in top condition.
- The advantage of packaging parts instead of the whole bird is that bloody spots can be eliminated by cutting out or rinsing out with cold water. Parts also fit conveniently in your freezer. Parts may be boned, and the carcass and neck may be used as a soup base.
- Use moisture/vapor-proof wrap such as heavily waxed freezer wrap, laminated freezer wrap, heavy duty aluminum foil or freezer-weight polyethylene bags.
- Wrap tightly, pressing out as much air as possible.
- Label the packages with the content and date.

- Use frozen packages within a year.
-

Care in Preparation

Thaw birds in the refrigerator or microwave.

- Microwave-thawed food should be cooked immediately. Other thawed meat should be used within one to two days.
- Keep raw food and cooked food separate.

The age of the bird determines the cooking method. Wild game always should be cooked thoroughly until the juices run clear and no pinkness remains in the meat.

- Young birds have lighter legs, soft breastbones and flexible beaks. Old birds have darker, hard-skinned legs, brittle breastbones and inflexible beaks.
 - Game birds may be prepared like chicken. Dry cookery methods, such as frying, are appropriate for young birds. Moist cookery methods, such as stewing or braising, are appropriate for older birds.
 - To decrease the distinctive taste of some wild game, trim off as much of the fat as possible.
 - Older or skinned birds may become dry during baking. You may want to wrap the birds with bacon to prevent them from drying out.
 - Remove stuffing from the bird prior to storage, because stuffing is a good growth medium for microorganisms.
 - Use leftovers within one or two days, or freeze for later use.
-

Prepared by

Julie Garden-Robinson, Food and Nutrition Program Assistant, NDSU Extension Service
Martin Marchello, Professor, Department of Animal and Range Sciences, NDSU
Pat Beck, Nutrition Specialist, NDSU Extension Service

North Central Regional Extension Publications are subject to peer review and prepared as a part of the Cooperative Extension activities of the thirteen land-grant universities of the 12 North Central States, in cooperation with the Extension Service - U.S. Department of Agriculture, Washington, D.C. The following states cooperated in making this publication available:

University of Illinois
Ag. Publication Office
69 Mumford Hall
Urbana, IL 61801
(217) 333-2007

University of Nebraska

Dept. of Ag. Comm.
Lincoln, NE 68583-0918
(402) 472-3023

University of Nebraska
Dept. of Ag. Comm.
Lincoln, NE 68583-0918
(402) 472-3023

*North Dakota State Univ.
Ag. Communications
Box 5655, Morrill Hall
Fargo, ND 58105-5655
(701) 237-7881

South Dakota State Univ.
Ag. Comm. Center
Box 2231
Brookings, SD 57007-0892
(605) 688-5628

*Publishing University

For copies of this and other North Central Regional Extension Publications, write to: Publications Office, Cooperative Extension Service, in care of the University listed above for your state. If they do not have copies or your university is not listed above, contact the publishing university as marked with an asterisk.

Programs and activities of the Cooperative Extension Service are available to all potential clientele without regard to race, color, national origin, age, sex, religion or disability.

In cooperation with NCR Educational Materials Project

Issued in furtherance of Cooperative Extension work, Acts of Congress of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture and Cooperative Extension Services of Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin. Sharon D. Anderson, Director, NDSU Extension Service, North Dakota State University at Fargo, North Dakota 58105.

NCR 527, April 1994

[North Dakota State University](http://www.ext.nodak.edu/extpubs/yf/foods/ncr527w.htm)
[NDSU Extension Service](http://www.ext.nodak.edu/extpubs/yf/foods/ncr527w.htm)